

To: Christopher A Saari[Christopher.Saari@Wisconsin.gov]; Robinson, John H - DNR[John.Robinson@wisconsin.gov]
Cc: KHanson@ldftribe.com[KHanson@ldftribe.com]; Kamke, Sherry[Kamke.Sherry@epa.gov]; Dave Larsen[dlarsen@reiengineering.com]; Fassbender, Judy L - DNR[Judy.Fassbender@wisconsin.gov]
From: Egan, Robert
Sent: Mon 3/14/2016 2:41:52 PM
Subject: FW: Tower Standard Site Investigation Work Plan (Rev 0)
[Tower Site Investigation Work Plan Submittal ltr_Egan.pdf](#)
[Tower Std WP Rev0.pdf](#)

John and Chris,

Here is the draft work plan for our upcoming work at Tower Standard. Please provide comments as soon as you can, as we plan to be in the field starting on 3/29.

Generally, the goals are to collect additional soil data, collect VI samples, and collect 4 groundwater samples to gather additional data in anticipation of the USGS lake bed survey and sampling effort this summer.

Please let me know if you have any questions. I look forward to your input.

Regards,

Bob

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Faust, Matt [mailto:mfaust@bristol-companies.com]
Sent: Friday, March 11, 2016 5:30 PM
To: Egan, Robert <egan.robert@epa.gov>
Cc: Worley, Ray <Worley.ray@epa.gov>; Ruth, Scott <sruth@bristol-companies.com>
Subject: Tower Standard Site Investigation Work Plan (Rev 0)

PLEASE NOTE THE EPA AND CONTRACTORS ARE RECEIVING THIS EMAIL

Bob,

Attached for your review you should find the draft version of the Tower Standard Site Investigation Work Plan.

--Matt

Matt Faust, P.G.
Project Manager/Geologist
Bristol Environmental Remediation Services, LLC
111 W. 16th Avenue, Third Floor
Anchorage, AK 99501-5109
Phone : (907) 743-9346
FAX : (907) 563-6713
mfaust@bristol-companies.com
<http://www.bristol-companies.com/>

CONFIDENTIAL NOTICE: This document is for the sole purpose of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender and destroy all copies of the original document.

--